

1	2		3	4	5	6	7	8				
REVISIONS												
ISS	ZONE	DESCRIPTION\PER REQUEST\DATE										
<p>REMARK:1. NO.4 MUST WITHSTAND A 6 lbs. MIN. PUSHOUT FORCE FROM NO.1 AFTER STAKING OPERATION</p> <p>2. REMARK1 IS MAINTAINED BY STAMPING THE FOUR POINTS SHOWN ON THE DRAWING WITHOUT PUNCTURING NO.1</p> <p>NOTES: FINISH (PLATING THICKNESS IN MICRO-INCHES)</p> <p>1. BRASS PER QQ-B-626</p> <p>2. BERYLLIUM COPPER PER QQ-C-530</p> <p>3. GOLD PL. 3 MIN. THICK OVER NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE</p> <p>4. GOLD PL. 50 MIN. THICK OVER NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE</p> <p>5. TEFLON MIL-P-19468</p>												
<p>1/4-36UNS-2A</p> <p>STAKE IN 4 PLACES EQUALLY SPACED 90° APART (SEE REMARK 1,2)</p> <p>FORMING</p> <p>6.4 REF.</p> <p>7.8</p> <p>22.13 REF.</p> <p>ø10</p>				<p>DIMENSIONS ARE IN MILLIMETERS</p> <p>UNLESS OTHERWISE SPECIFIED TOLERANCES</p> <p>0.5-6 = ±0.2</p> <p>6-30 = ±0.4</p> <p>30-120 = ±0.6</p> <p>120-315 = ±1</p> <p>315-1000 = ±1.6</p> <p>1000-2000 = ±2.4</p>					<p>PART NO. SMAF-MCXM1-3GT50G-50</p> <p>APPROVED DATE 10-11-01'</p> <p>CHECKED DATE 10-11-01'</p> <p>DRAWN DATE 10-11-01'</p> <p>FILE NO.</p>		<p>Amphenol</p> <p>TITLE SMA FEMALE TO MCX MALE ADAPTOR</p> <p>DRAWING NO. KJ-SMAF-MCXM1-3GT50G-50</p> <p>ITEM NO.</p>	
5	CONTACT PIN	NOTE 2	NOTE 4	1	SMAF-MCXM1-3	NO.			A			
4	INSULATOR	NOTE 5	NATURAL	1	SMAF-SMBM1-2-C	DATE						
3	INSULATOR	NOTE 5	NATURAL	1	SMAF-MCXM1-2-B	DATE						
2	BODY	NOTE 2	NOTE 3	1	SMAM-MCXM1-5-B	DATE						
1	HOUSING	NOTE 1	NOTE 3	1	SMAF-SMBM1-1	DATE						
NO.	DESCRIPTION	MATERIAL	FINISH	Q'TY	DRAWING NO.	SCALE	4/1	ISSUE	A	FILE NO.		
1	2	3	4	5	6	7	8					